## CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION OFFICE OF THE STATE FIRE MARSHAL

## FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

## LISTING SERVICE

LISTING No. 2440-1500:100 Page 1 of 1

**CATEGORY:** Insulation

LISTEE: Certainteed Corp, 750 E. Swedesford Road, Valley Forge, PA 19482-0105

Contact: Thomas Ponder (610) 341-7137 Fax (610) 341-7994

Type "FLAMECHEK Duct Insulation" encapsulated blanket insulation. The sample consists of DESIGN:

> Unifrax "Insulfrax 1800" blanket encapsulated with LamtecCorp.'s "WMP-F" polypropylenescrim-foil laminate or UL listed equivalent. Refer to listee's data sheet for additional detailed

product description and operational considerations.

RATING: Flame Spread: 25

Smoke Index:

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes & ordinances

and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, product label and UL label.

APPROVAL: Listed as wall/ceiling insulation for use in building construction. May be used in attic and

crawl spaces of combustible construction limited to entry for service of utilities when

separated from all open space as required by applicable building standards.

NOTE: For through penetration application, refer to CSFM Listing Cat. 4485 (Opening Protection-

Firestopping). For other applications, please consult the authority having jurisdiction.

XLF: 2440-1478:100

11-18-97



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

JULY 3, 2003 Date Issued: Listing Expires June 30, 2004

**DIANE K. AREND**, Senior Deputy Authorized By:

Program Manager